Even more sub categories of forks than the ones Leonhard just mentioned

11 May 2017

Types of forks – Not mutually exclusive

- Software fork
- Chainfork
- Change in the consensus rules
 - Hardfork
 - Asymmetric hardfork
 - Symmetric hardfork
 - Softfork
 - Compulsory for miners
 - Advisable for miners
 - Voluntary for miners

Hardforks

- Removal or relaxation of an existing consensus rule
 - Perhaps never happened in Bitcoin (Depends if you count removal of nondeterministic rules)
- Alternative definition (very similar), a non upgraded fully validating node gets booted off the network or can no longer connect to the network
 - This has occurred in Bitcoin

Hardforks – More subcategories

- Asymmetric hardfork the new blocks can be invalid under the old rules and old blocks are valid under the new rules
 - Examples (BU, Bitcoin Classic, Bitcoin XT)
- Symmetric hardfork the new blocks can be invalid under the old rules and old blocks are also invalid under the new rules
 - Examples (Ethereum vs Ethereum Classic)

Softforks

 Adding a new consensus rule (happens often in Bitcoin (Until recently))

Softforks – More subcategories

- Compulsory for miners old blocks are guaranteed to be invalid under new rules
 - Examples (SegWit on Litecoin, BIP148 UASF, Most Bitcoin softforks prior to 2015)
- Advisable for miners old blocks might be invalid under new rules
- Voluntary for miners old blocks are valid under new rules
 - Examples (SegWit, BIP149 UASF, BIP9, Most recent softforks)

Softforks – Brief history

- 1. BIP16 P2SH soft fork 2012 Rolling 55% super majority of last 1,000 blocks (problematic activation)
- 2. BIP34 Height in coinbase 2012 Rolling 95% super majority of last 1,000 blocks
- 3. BIP66 Strict DER signatures 2015 Rolling 95% super majority of last 1,000 blocks (problematic activation)
- 4. BIP65 OP_CHECKLOCKTIMEVERIFY 2015 Rolling 95% super majority of last 1,000 blocks
- 5. CSV soft fork, 2016 (3 BIPS) Versionbits signaling 95%
- 6. Segregated Witness (3 BIPS) 2017 (proposed)- Versionbits signaling 95%

Other forks people talk about

- Soft-hardfork
- Merge mining hardfork
- Cleanup hardfork

Quiz - What type of fork is this?

Current blocksize limit is 1MB

- A rule that says blocks must now all be less than 800KB
- A rule that says blocks must now all be less than 2MB
- A rule that says blocks must now all be more than 500KB
- A rule that says blocks must now all be more than 500KB and less than 1MB
- A rule that says blocks must now all be more than 2MB
- A new rule that says, blocks must contain the string "BitcoinHKisGreat" in the coinbase transaction
- A new rule that says, if contain the string "BitcoinHKisGreat" in the coinbase, then the string "BitcoinJapansucks" must also be in the coinbase

Quiz - What type of fork is required to do this?

- Freeze user coins
- Take away user coins and spend them yourself
- Increase the 1MB blocksize limit from the perspective of upgraded nodes
- Create newcoins/new inflation from the perspective of existing nodes (trick question)
- Increase the 1MB blocksize limit from the perspective of old nodes (trick question)
- Create new coins from the perspective of upgraded nodes nodes (trick question)